



GMID

Creative Communication

CREATIVE GRAPHIC DESIGN
specialising in
INFORMATION DESIGN

Often bilingual,
always engaging, effective,
and easy to understand.

GRAHAM MORSE
07970 961446
studio@gmid.co.uk

Effective Design & Marketing Since 1999




SUPPORTING VENUES AND PROMOTERS across the country, creating and implementing show assets, developing marketing campaigns and increasing ticket sales.



MAKE USE OF OUR GREAT NETWORK OF MEDIA CONTACTS & MARKETING RESOURCES including Local and National Press and Radio, Out of Home (digital and print), Student Population Channels, Door Drop, Paid Social Media and more...

COMMISSION GMID EARLY IN THE SHOW-CYCLE for initial creative, followed by comprehensive and targeted marketing campaigns to drive sales.



LIVE MUSIC
Midday 'til late

MUMBLES PIER

BIG SUMMER
Opening Party

FEATURING TOP SECRET CELEBRITY APPEARANCES

TO BE FEATURED ON TV

Saturday 26th June
10am 'til Late

KIDS' CLUB
Toby
A MUMBLE

FREE

AND MUCH MUCH MORE!

More info on our website: mumbles-pier.co.uk

To avoid disappointment book on to our timed activities. Visit our website for more information.
A full schedule of live entertainment is on throughout the day for your enjoyment!

© 2014 Mumbles Pier

Date Night
EVERY FRIDAY

Two Main Meals in Copperfish Restaurant,
A Bottle of House Wine, plus £10 Arcade Game Play

Copperfish £29.95

Gamez Card

Terms and conditions apply. See online at mumbles-pier.co.uk

Restaurants and Hotels

CASE STUDY

Sleibach Park, Pembrokeshire Phase 2 – Second Kitchen

VENUE

Sleibach Park is in the middle of a 600-acre private estate boasting an array of views over the upper reaches of the Duddonide. Estuary, this became one of a resort sought after by nobility in west Wales for creating a truly idyllic holiday for any occasion large or small.

Est. 1968

OBJECTIVE

To incorporate a new commercial kitchen within an existing listed but single, paying due regard to any potential noise pollution and the many environmental issues raised upon the client by the Planning. This second kitchen was to meet the demands of functions and banquets for up to 400 guests as well as the call for to overcome the extra workload when providing an intensive menu for corporate Hospitality events.

SOLUTION

Having identified numerous noise solutions RACS were engaged to design a solution to design and install the new delivery facilities as well as the 'walk in' Cold Rooms, the purpose designed outdoor systems, the fans and cladding and safety flooring. The flexibility of the RACS team meant that they would be able to meet quickly the last significant change requested upon the project by several external bodies upon having an interest in the Sleibach Park development.

OUTCOME



On completion I am extremely pleased with the great facilities provided and testing by RACS who not only met the demands of a tight programme but, more importantly, their approach to the many challenges we had to overcome. My faith in their ability to deliver with a high quality was rewarded by Sleibach Park's management and its dedication with their efforts during the many construction phases that was not even without good issues as they met all demands placed upon them.

Betty Preece, General Manager

For all your commercial catering equipment

RACS Ltd. 01792 795222 enquiries@racs-uk.com www.racs-uk.com

ALBUM SLEEVES














NEW LOGOS



LOGO REFRESHES



LOGOS ARE JUST ONE PIECE of the identity jigsaw.
Discuss your brand development needs with GMID.



PRODUCT BROCHURES

MAD COWLS
PROBLEM SOLVING CHIMNEY COWLS

BURFORD

A family business

RAIN COWL
RAIN GUARD & BIRD PROTECTION

28 STAINLESS STEEL RAIN COWL
The simple, dome shape of this cowl makes it very popular amongst chimney sweeps. The full construction one dome lid allows a sweeping brush to light up into the cowl, with the stainless steel construction allowing for a longer, lasting life.

- 1mm Stainless Steel
- Suitable for use with oil, coal, wood and smokeless fuel
- Made from 1mm stainless steel
- Fits chimneys up to 260mm
- The stainless steel hose clip
- Supplied fully assembled
- Can be powder coated, terracotta or buff

26, 27 RAIN COWL
Our latest rain guard provides excellent rain, wind, heat and noise protection and is available with a stainless steel or a powder coated finish. It is suitable for gas, oil, coal, wood and smokeless fuel.

- No. 27 suitable for oil, gas and seasoned wood and No. 26 suitable for normal coal, oil and seasoned wood. Not to be used with smokeless fuel.
- Made from galvanneal steel and powder coated terracotta.
- Includes stainless steel hose clip
- Fits chimneys up to 260mm
- Supplied fully assembled
- Not certified to BS EN 1856-1:2009

FUEL SUITABILITY

	COAL	WOOD	GAS	OIL	SMOKELESS FUEL
RAIN Cowl Stainless	✓	✓	✓	✓	✓
RAIN Cowl Powder	✓	✓	✓	✓	✓
ADVERTY 3 piece	✓	✓	✓	✓	✓

As well as our mainline range of MAD Cows and others, we also produce a range of products for unusual chimney applications.

These are a range of cowls made to order and a few unusual bird guards and other chimney products. For more information, please contact us on 01639 894569.

32 SQUARE BIRD GUARD
This is a square bird guard made to order. It is made from 1mm stainless steel and is suitable for chimneys up to 260mm. It is supplied fully assembled.

62 SQUARE CUPPER
This is a square cupper made to order. It is made from 1mm stainless steel and is suitable for chimneys up to 260mm. It is supplied fully assembled.

64 MAD SQUARE ANTI-DOWNDRAFT COWL
Our anti-downdraft cowl is made from 1mm stainless steel and is suitable for chimneys up to 260mm. It is supplied fully assembled.

36 SPARK ARRESTOR
The MAD spark arrestor is made from 1mm stainless steel and is suitable for chimneys up to 260mm. It is supplied fully assembled.

65 BISHOPS POTTS COWLS
Chimney liner cowls are made from 1mm stainless steel and are suitable for chimneys up to 260mm. They are supplied fully assembled.

58 NEW LARGE BASE SENIOR COWL
This cowl is designed for larger chimneys and is made from 1mm stainless steel. It is suitable for chimneys up to 260mm. It is supplied fully assembled.

33 LARGE BIRD GUARD
Designed for larger chimneys, this bird guard is made from 1mm stainless steel and is suitable for chimneys up to 260mm. It is supplied fully assembled.

66 SQUARE CHIMNEY LINER COWL
Seamless steel square chimney liner cowls are made from 1mm stainless steel and are suitable for chimneys up to 260mm. They are supplied fully assembled.

PROGRAMMES

Prifysgol Cymru
Yr Undod Dewi Sant
University of Wales
Trinity Saint David

Canolfan Berfformio Cymru

Pam astudio yng Nghaerdydd?

Caerdydd yw Prifysgol Cymru a chanddi gyfnewid Ewrop a chanddi gyfnewid o hanes a dwyllant. Dros yr 20 mlynedd diwethaf mae wedi gweld buddsoddiad sylweddol yn y celfyddydau, byd chwaraeon a chomffortau sŵp gan ei wneud yn lle hyfydd i fyw ac astudio. Ar ben hyn o'r mae Caerdydd yn ffrwyth o ddigwyddiadau dwyblennol rhyngol yn cynnwys bywyd cymdeithasol bywiog ac amrywiol.

“Mae Caerdydd yn ddinas fywiog llawn prysurdeb a chynnwrf sy'n sicrhau profiad o fyw cyffrous iawn. Mae gymaint o gyfleoedd ar gael ac nid oes rhaid camu ym mhell i ymweld â'r llyfrgell, i brynu addondau neu wyllo sioeau mewn lleoedd megis Canolfan y Mileniwm neu'r New Theatre.”
Lloyd Macey – BA Perfformio

Perfformio Caerdydd

gyrrdd.ac.uk/cbc

Prifysgol Cymru
Yr Undod Dewi Sant
University of Wales
Trinity Saint David

Canolfan Berfformio Cymru
YN CYFLWYND / PRESENTS

Deffro'r Gwanwyn
[SPRING AWAKENING]

13 / 14 GORFFENNAF / JULY 2017

Llyfr a gerllau / Book and music: Steven Soter
Cerddoriaeth / Music: Duncan Sheik
Cyhyddiad / Choreography: Daiyda James

DEFFRO'R GWANWYN
SPRING AWAKENING

Mae Melchior wedi cael digon o'r celydd. Moritz yn cael ei boenyddio gan freuddwydion brwt, a Wendla bron â marw eisau deall y gwir am fabis.

Mewn byd lle mae ar yr oedolion yn wynebu'r gwir, mae Melchior yn herio'r system gyda charnlyniadau browychus a bythgofadwy.

Dyma addasiad Cymraeg Dafydd James o'r sioe gerdd roc welfreiddol 'Spring Awakening'.

Mae'r sioe, sy'n seiliedig ar ddrama ddadllefusol Frank Wedekind, yn ymdrin â gormes rhywiol ac yn cael ei hadrodd mewn ffordd gonest a minio fydd yn siwr o ysgogi troedodath.

Melchior has had enough of the lies, Moritz is tormented by his thoughts, and Wendla is desperate to understand more about how babies are made.

Based on 'Spring Awakening', the controversial play by Frank Wedekind, the show deals with sexual repression and hormonal chaos, told in a gritty and very honest way.

Canolfan Oed. 13+ / Age Guidance: 13+
Yn cynnwys iaith gref a themâu sy'n addosi oedolion / Contains strong language and adult themes

GYMGUARD™
BACTERIA SHIELD

For a safer, more comfortable training experience.

The total gym hygiene solution.

Suite 19, Sandfields Business Centre, Purcell Ave, Port Talbot SA12 7PT
T: 01639 894569
F: 05601 130265
E: info@gyanguard.co.uk

History of the product

The chemical behind GymGuard was originally developed as an Aircraft Cabin Interior Sanitiser. This aviation technology is now available direct. It is a non-toxic, non-hazardous, polymer based product. GymGuard has hydrophobic properties and therefore forces itself into areas where bacteria proliferate (like stitching in seat cushions) while also laying down a monomolecular coating on treated surfaces – this provides continued protection even after it has dried.

Following research into the gym hygiene market it was discovered that no tailor made products were available to provide the gym proprietor with an integrated hygiene system for staff and clients able to create a safer and more pleasant training environment.

GymGuard is designed to reduce cross-contamination and infection of users and those working within the Gym and Health Centre environment by the disruption/removal of bacteria, moulds, fungi and viruses.

Market research has indicated that gym users want to be able to take control of their own personal exercise space and in current times with the threat of Community Acquired MRSA and Swine Flu GymGuard is ideally placed to allow them to do that.

The decision to make GymGuard available to Gym and Health Clubs in the form of sanitising station dispenser units strategically located within the venue for use by members on equipment and their hands prior to or after use, while also supplying a personal 'take-home' range available in convenient sizes is designed to ensure that the product is accepted as a lifestyle product and that its use is regarded as part of your clients total Health and Fitness regime.

GymGuard will become synonymous with a clean and hygienic training environment, provided by conscientious gym proprietors who want to offer their clients the very best.

Speak to us today about GymGuard for the benefit of your facility and your clients – set yourself apart from the 'average gym' by offering the ultimate in anti-bacterial protection don't get left behind!

“Microbiologists have discovered that dangerous bacteria lurk not only in the unpleasant sweaty residue left on gym equipment, but in hot-tubs, changing rooms and even sports drinks bottles.”
“To going to the gym bad for your health?”
04/07/2006

The total gym hygiene solution.

Suite 19, Sandfields Business Centre, Purcell Ave, Port Talbot SA12 7PT T: 01639 894569 F: 05601 130265 E: info@gyanguard.co.uk

FAQs

Q. What is GymGuard Sanitiser?
A. GymGuard products contain multiple actives working together in an aqueous polymer based solution providing a microscopic physical effect combined with a chemical control to give broadband / broad-spectrum sanitisation of treated materials.

Q. What does microbial control mean?
A. It means taking the risk out of the presence of microbes by (in GymGuards case) reducing the reproduction and viable numbers of microbes to safe levels.

Q. How does GymGuard work?
A. GymGuard disrupts the microbes preventing them from establishing colonies and then ensuring that the remaining organisms are rendered harmless or killed.

Q. Why is GymGuard safe to use?
A. Because the physical effect is targeted at microscopic levels and has no effect on larger organisms (like a mousetrap does not endanger an elephant), the physical effect weakens the bugs so we don't need strong doses of the other biocides.

Q. How can GymGuard be used and where?
A. Anywhere concern about contamination by microbes is an issue. Odours, decay, health issues and food processing and water environments and also for personal use, effective against Human Influenza A Virus (H1N1 Swine Flu), GymGuard is also certified Halal.

Q. What makes GymGuard environmentally friendly and bio-degradable?
A. GymGuard Sanitiser is designed to dissociate (go into units) strategically located within the venue for use by members on equipment and their hands prior to or after use, while also supplying a personal 'take-home' range available in convenient sizes is designed to ensure that the product is accepted as a lifestyle product and that its use is regarded as part of your clients total Health and Fitness regime.

Q. What makes GymGuard long-lasting?
A. The aqueous polymer base keeps the GymGuard at the surface preventing the biocides from "being eroded away".

Q. Does GymGuard sanitise and clean at the same time and how?
A. Yes, it does because it is a cleaner as well as a sanitiser and because it disrupts/removes bio film.

Q. What does broadband mean?
A. That it controls a huge range of different types of Microbes, Bacteria, Fungi, Mould and Viruses.

Q. Is there microbial resistance to GymGuard and if not why not?
A. No, because it has a physical effect as well as a chemical. Physical effects rarely generate immunity, a rat colony may develop resistance to poisoning (chemical) but never to being decapitated by the rat trap (physical).

Q. Can GymGuard be used on or close to food, for example fruit, vegetables, fish, meat products etc.
A. Depending on the legislation, GymGuard can often be used near to foods but not incorporated into foodstuffs for ingestion.

Q. What surfaces can GymGuard be used on?
A. The constituents of GymGuard have been certified by Boeiling for the cleaning of aircraft interiors. It conforms to their corrosion tests and also for use on vinyl, plastic, leather, fabric and carpet among others.

Q. What certification does GymGuard have?
A. It is effective against viruses, bacteria, fungi and spores to BS EN 1276, BS EN 1850 and BS 6920 (approved for use in drinking water systems but not approved for consumption). GymGuard also conforms to EN 14476 – effective against Human Influenza A Virus (H1N1 Swine Flu). GymGuard is also certified Halal.

“Earlier this year it was reported by the Health Protection Agency that about 100 men and women had contracted a strain of the MRSA super-bug at their gym or sports centre.”
www.dailymail.co.uk – “Is going to the gym bad for your health?”
04/07/2006

The total gym hygiene solution.

Suite 19, Sandfields Business Centre, Purcell Ave, Port Talbot SA12 7PT T: 01639 894569 F: 05601 130265 E: info@gyanguard.co.uk

Boeing test certificate

Page 1 of 5

Boeing D6-7127 Revlon M (April 11, 2003)
CLEANING INTERIORS OF COMMERCIAL TRANSPORT AIRCRAFT
Category: Disinfectants

Dilution:	Ready to Use	Page 1 of 5
11.3.1	Sandwich Corrosion	Conforms
11.3.2	Immersion Corrosion Test	Conforms
11.3.3	Rubber Test	Conforms
11.3.4	Sealant Test	Conforms
11.3.5	Painted Surface Test	Conforms
11.3.6	Tedlar Surface Test	Conforms
11.3.7	Vinyl Surface Test	Conforms
11.3.8	Fabric and Carpet Test	Conforms
11.3.9	Leather and Naugahyde Test	Conforms
11.3.10	Flash Point Test	Conforms
11.3.11	Polycarbonate Cracking Test	Conforms

Respectfully submitted,
Patricia D. Viani, SMI Inc.
www.smiinc.com

SCIENTIFIC MATERIAL INTERNATIONAL
www.smiinc.com

The total gym hygiene solution.

Suite 19, Sandfields Business Centre, Purcell Ave, Port Talbot SA12 7PT T: 01639 894569 F: 05601 130265 E: info@gyanguard.co.uk

Price list









Gym Range

	Trade price (ex works and VAT at current rate)	
Wall mounted 900ml Foaming dispenser – sanitising station	£35.00	
Separate 900ml dispenser for wall mounting	£25.00	
Separate 400ml dispenser for wall mounting	£18.00	
5L refill containers	£17.50 (£3.15/1500 pumps)	
750ml spray sanitiser	£4.05	
250ml spray sanitiser	£1.98	
150ml foamer	£2.30	
Microfibre towels (40cm x 100cm)	£2.20 ea (for box of 72)	
	£2.10 ea (for box of 216)	
	£2.00 ea (for box of 432)	
	£1.80 ea (for box of 864)	
Start Up Kits:		
2 x sanitising stations	4 x sanitising stations	6 x sanitising stations
1 x 5l apple mint	2 x 5l apple mint	3 x 5l apple mint
2 x 750ml spray	2 x 750ml spray	2 x 750ml spray
1 x 250ml spray	1 x 250ml spray	1 x 250ml spray
1 x 150ml foamer	1 x 150ml foamer	1 x 150ml foamer
4 x microfibre 40cm	4 x microfibre 40cm	4 x microfibre 40cm
40 x eqpt stickers	40 x eqpt stickers	50 x eqpt stickers
3 x A3 posters	4 x A3 posters	5 x A3 posters
5 x A4 posters	6 x A4 posters	8 x A4 posters
Trade price	£215.00	£305.00
Special show price	£15.00	£275.00
Further discounts available for bulk purchases		
Personal range		
	Trade (ex vat)	Retail (inc vat)
250ml sanitising spray	1.98	3.99
50ml sanitising spray	1.30	2.17
150ml foamer	2.30	4.08
50ml foamer	1.65	2.34
40x microfibre towel	2.20 each	3.47
Trolley tokens (£1)	0.73	0.87


The total gym hygiene solution.

Suite 19, Sandfields Business Centre, Purcell Ave, Port Talbot SA12 7PT T: 01639 894569 F: 05601 130265 E: info@gyanguard.co.uk

BOOKS



MEDICAL





GYM GUARD™

BACTERIA SHIELD



GYM GUARD™

BACTERIA SHIELD

For a safer, more comfortable training experience.

Feel the difference
with the ultimate in gym
hygiene protection.

1 step stop for all dirt, staining and hygiene needs.
Gym users benefit from their own personal chemical shield.

The total gym hygiene solution.



Feel the difference







ZooBiotic
BIOSOURCED INNOVATION

ZooBiotic is changing.

The UK's only supplier of medicinal larvae is growing...

BioFOAM[®] BioFOAM[®] LARVAE BioMondia



mylife DiabetesCare



More freedom



More confidence



With mylife™

© 2007 Medtronic Diabetes, Inc. All rights reserved. Medtronic, mylife, and the mylife logo are trademarks of Medtronic Diabetes, Inc. DiabetesCare is a registered trademark of Medtronic Diabetes, Inc. in the U.S. and other countries. DiabetesCare and mylife are registered trademarks of Medtronic Diabetes, Inc. in the U.S. and other countries. DiabetesCare and mylife are registered trademarks of Medtronic Diabetes, Inc. in the U.S. and other countries.

YOUR BABY'S FIRST LIFE

Relationship

I feel safe, calmer, warm and my heart rate is steady

Baby cues

Helping my brain to develop

I wriggle, lick my lips, root and put my hand to my mouth

Responsiveness

LOVE FEEDING

Join a mother to mother support group near you
www.wordpress.com

Almond Health Education Specialist
 Specialist Support Clinic
 Contact Carol: 07967 368884

To find out more
 talk to your midwife or follow us
 Facebook page

www.almondhealth.co.uk

THE CARDIFF BAY BARRAGE

Work began on the Cardiff Bay Barrage scheme on May 25 1994. The main work undertaken so far has been dredging to create a solid base for the construction of the dam. 1.8m cubic metres of mud will be dredged in total, sometimes to a depth of 35ft. Work has started

on rock placement for the main embankment and the placing of sand will be started soon. 900,000 tonnes of rock and more than 3m tonnes of sand will be used to complete the project which is being undertaken as a Balfour Beatty-Costain joint venture.

500 acre freshwater lake with eight miles of waterfront

Country park-style landscaping on inside face

Main barrage made from rock and sand is 800m long 100m wide and nearly 10m high

Rock armour sea defences

Main barrage is sand with rock armour to protect it from the sea.

Sand

Rock

The Locks

There will be three locks in the barrage. Each one is going to be 40 metres long and 10 metres wide

Lake level

The freshwater lakes inside the barrage are at a higher level than the sea on the outside

Water is let out of the lock to allow ships and other vessels to move at low tide

Sea level

Bed rock below the barrage

The Fish Pass

The fish pass will allow salmon and other fish to return to the rivers Taff and Ely as normal

Lake level

To river

The stepped pass will let fish climb a water staircase to get downstream

Sea level

The Sluice gates

There will be five sluice gates in the barrage. They will allow the water to overflow safely from the lake into the sea

Lake level

The barrage is one of the biggest construction projects in progress in the UK

The gates will have a flow rate of up to half a million gallons per second

Sea level

The barrage is due to be completed in August 1998 at a cost of £93m.

Cardiff bay presently has a tidal range of 40ft. This is one of the largest ranges in the world.

The fish pass will slow salmon and other fish to return to the rivers Taff and Ely as normal

Source: "Quadrant Public Relations"



PLATCON
Providing the ultimate in product quality



Equipment available:
Control panels, relays, photo relays & transmitters
Temperature controllers, relays, transmitters
Relays, photo relays, transmitters
Relays, photo relays, transmitters

Global representatives of quality control equipment



Unit 8, Leroo Close Court, Coast Street
Durbanville, Western Cape 7801 South Africa
Phone: +27 (0)31 5030000
Fax: +27 (0)31 5030001
Email: info@platcon.co.za
Web: www.platcon.co.za







PLATCON
Automation & Electrical Design








021 5030000

021 5030001

info@platcon.co.za



PERIMETER WALL CROSS SECTION

Head of water at stage ③ of the power generation cycle
± 9.5m

Lagoon bed

± 0.5m of wall visible at high spring tide

Top of wall on above the seabed

3.5m wide rock armour

1.2m pile driven rock

Locally won core material

Sea bed

Waves will overtop the wall during high storm conditions, this will add to the power output

High tide

Low tide

Sea bed

LAGOON

OPEN SEA

The diagram illustrates a cross-section of a perimeter wall. On the left is a lagoon with a lagoon bed. The water level is indicated as the head of water at stage ③ of the power generation cycle, with a height of ± 9.5m. The wall itself is shown with a top of wall on above the seabed, a 3.5m wide rock armour, and a 1.2m pile driven rock. The wall is constructed from locally won core material. The seabed is shown on the right, with a note that waves will overtop the wall during high storm conditions, adding to the power output. The diagram also shows high tide and low tide levels, and a sailboat in the open sea.

Winter 2012

AXIUM PROCESS News

www.axiumprocess.com +46 (0)1792 883 882

info@axiumprocess.com

INSPECTION, TESTING AND TRACEABILITY

Our primary drive and commitment is to satisfy, if not exceed the needs of our customers and ensure that total customer satisfaction is fully achieved in terms of material selection, design, production, inspection, packing and delivery.

Our stringent processes and procedures for testing, inspection and traceability together with our total commitment to quality and our attention to detail, has earned Axium Process a reputation on a scale of 1 to 5, by the leading steel fabricators in the UK.

We can provide:

- Full materials certification
- Surface finishes to 0.8µm Ra, full Ra testing and certification
- Wedge map direct view and video microscope methods
- Blow maps underdyeing
- DC resistance testing
- Radiography
- Penetrant testing
- Frequency testing 150Hz
- A79M A65
- Nitro and creic and certification to A79M A65
- Ferrous testing and certification
- TSC certification
- Mechanical and electrochemical testing options
- Ultrasonic cleaning and vacuum picking

UNIVERSITY CHALLENGE

Axium Process works with a number of Universities within the UK, utilising their expertise in the concentration and separation of liquid streams to bring on a number of ground breaking projects.

The company specialises in the design and build of complete membrane filtration systems for a number of applications. Axium Process has been successful in the design and build of multiple pilot plants for composite membrane filtration, for water treatment, for the separation of wastewater, for the separation of wastewater, for the separation of wastewater, for the separation of wastewater.

WHITMAN LABORATORIES REDUCE WASTE AND MAKE SUBSTANTIAL COST SAVINGS

Whitman Laboratories is a centre of manufacturing excellence for the Ester Laseador group of companies manufacturing a company extensive and superior range of sales products.

Whitman Laboratories traditionally used Filter Soap for its filter and charge drums during the batch manufacturing of sales products resulting in considerable waste of expensive product and costly overtime each time

the filter batch was changed or at the end of every batch run.

Following a number of Axium's seminars, Staff from Process Compact recognised this as a high value problem and contacted Axium Process for a solution.

After which regular maintenance on quick and easy to clean drums was implemented by Whitman Laboratories by reducing production downtime.

STAINLESS STEEL COMPONENTS TUBE AND PIPE FITTINGS



axium
STEEL FABRICATORS

axium Fabrics is a key supplier of hygienic stainless steel components, systems, and pipe fittings for the process industries and is a world-renowned leader in the production and sale of stainless steel components and systems.

PRODUCTS

- Stainless steel pipe and fittings
- Stainless steel tanks and vessels
- Stainless steel heat exchangers
- Stainless steel storage tanks
- Stainless steel piping systems
- Stainless steel valves and actuators
- Stainless steel flanges and gaskets
- Stainless steel elbows and tees
- Stainless steel reducers and transitions
- Stainless steel end caps and closures
- Stainless steel manways and access doors
- Stainless steel ladders and platforms
- Stainless steel supports and hangers
- Stainless steel instrumentation and controls
- Stainless steel safety and security systems
- Stainless steel fire and smoke protection
- Stainless steel noise and vibration control
- Stainless steel air and gas filtration
- Stainless steel water and wastewater treatment
- Stainless steel food and pharmaceutical processing
- Stainless steel chemical and petrochemical processing
- Stainless steel power generation and distribution
- Stainless steel marine and offshore applications
- Stainless steel architectural and decorative applications



www.axiumfabrics.com

01223 800000

01223 800001

01223 800002

01223 800003

01223 800004

01223 800005

01223 800006

01223 800007

01223 800008

01223 800009

01223 800010

01223 800011

01223 800012

01223 800013

01223 800014

01223 800015

01223 800016

01223 800017

01223 800018

01223 800019

01223 800020

01223 800021

01223 800022

01223 800023

01223 800024

01223 800025

01223 800026

01223 800027

01223 800028

01223 800029

01223 800030

01223 800031

01223 800032

01223 800033

01223 800034

01223 800035

01223 800036

01223 800037

01223 800038

01223 800039

01223 800040

01223 800041

01223 800042

01223 800043

01223 800044

01223 800045

01223 800046

01223 800047

01223 800048

01223 800049

01223 800050

01223 800051

01223 800052

01223 800053

01223 800054

01223 800055

01223 800056

01223 800057

01223 800058

01223 800059

01223 800060

01223 800061

01223 800062

01223 800063

01223 800064

01223 800065

01223 800066

01223 800067

01223 800068

01223 800069

01223 800070

01223 800071

01223 800072

01223 800073

01223 800074

01223 800075

01223 800076

01223 800077

01223 800078

01223 800079

01223 800080

01223 800081

01223 800082

01223 800083

01223 800084

01223 800085

01223 800086

01223 800087

01223 800088

01223 800089

01223 800090

01223 800091

01223 800092

01223 800093

01223 800094

01223 800095

01223 800096

01223 800097

01223 800098

01223 800099

01223 800100